



**THE FUTURE  
OF WATER HEATING**

## ELECTRIC WATER HEATERS

[Stone Story](#) | [Electric Water Heaters](#) | [Indirect Water Heaters](#) | [Solar Water Heater](#) | [Custom Tanks](#) | [Commercial Tanks](#) | [Range Boilers](#)

### **Hydrastone Lining**

a seamless one half inch thick lining which has proven to be the most effective method of preventing tank failure.

### **Bronze Fittings**

at all water openings eliminates corrosion due to dissimilar metals. No dielectric unions.

### **Dense Urethane Foam Insulation**

completely surrounds the tank to significantly reduce heat loss and increase energy savings (R-16 insulation value).



### **Heat Trap**

specifically designed hot water outlet pipe placed within the foam insulation to prevent unnecessary heat loss.

### **Plastic Jacket**

Rust free, light weight all plastic outer jacket. Easy to clean, attractive finish, no maintenance.

### **Cold Water Inlet Diffuser**

introduces cold water at the bottom of the tank and prevents turbulent mixing with heated; this insures desired layering of hot water through the tank.

### **10 Year Limited Warranty!**

---

## RESIDENTIAL ELECTRIC WATER HEATER

MODEL	CAPACITY	HEIGHT	DIAMETER
S 10*	10	20 7/8	20
S 19*	19	32 7/8	20
S 30	30	41	20
S 40	40	58	20
US 40	40	33	26
S 50	50	51	22
S 60	60	58	22
S 65	65	47 7/8	26
S 70	70	69	22
S 80	80	58	26
S 100T	100	69 3/8	26
S 120	115	69	28

---

ELECTRICAL ELEMENTS: 4500 WATT, 240 VOLT (LOW WATT DENSITY)

Other Wattages available by request.

\*Single 1500 WATT, 118 VOLT Element

HAND HOLE: 4 inch Gasketed Opening available in 40 GAL. and above.

T & P VALVE: \$7.00

INSULATION: S=2 inches Urethane Foam

FREIGHT: F.O.B. Salisbury MA.


TERMS: 2% 10, NET 30 DAYS

**LIMITED WARRANTY: 10 YEARS**

---

[Home Page](#) | [Vaughn Corporation History](#) | [Vaughn News](#) | [Vaughn Products](#) | [Turnkey Program](#) | [Connect With Vaughn](#)

Vaughn Manufacturing Corporation, 26 Old Elm St., PO Box 5431, Salisbury, Massachusetts 01952-5431  
Telephone (978) 462-6683 | FAX (978) 462-6497

© Copyright 1997 © Vaughn Manufacturing Corporation | Maintained by  EnSky Corp.

[Contact Vaughn](#) | [Contact Webmaster](#)

---