



**THE FUTURE
OF WATER HEATING**

INDIRECT WATER HEATER

[Stone Story](#) | [Electric Water Heaters](#) | [Indirect Water Heaters](#) | [Solar Water Heater](#) | [Custom Tanks](#) | [Commercial Tanks](#) | [Range Boilers](#)

Hydrastone Lining

a seamless one half inch thick lining which has proven to be the most effective method of preventing tank failure.

Bronze Fittings

at all water openings eliminates corrosion due to dissimilar metals. No dielectric unions.

Dense Urethane Foam Insulation completely surrounds the tank to significantly reduce heat loss and increase energy savings (R-16 insulation value)

Removable Heat Exchanger
Conveniently



Heat Trap

specifically designed hot water outlet pipe placed within the foam insulation to prevent unnecessary heat loss.

Plastic Jacket

Rust free, light weight all plastic outer jacket. Easy to clean, attractive finish, no maintenance

Cold Water Inlet Diffuser

introduces cold water at the bottom of the tank and prevents turbulent mixing with heated; this insures desired layering of hot water through the tank.

**Limited
Warranty: 7**

located and simple
8 bolt flange
design for ease of
installation and
service. This
superior design
allows for periodic
cleaning of coil to
maintain maximum
performance.

**Years Residential
Models
(Optional
Lifetime
Available)
5 Years -
Commercial
Models**

RESIDENTIAL MODELS

MODEL	CAPACITY	HEIGHT	DIAMETER
S 30 HX15	30	41	20
US 30 HX15	30	33	22
S 40 HX15	40	58	20
US 40 HX15	40	33	26
US 40 HX20	40	33	26
S 65 HX15	65	47 7/8	26
S 65 HX20	65	47 7/8	26
S 80 HX15	80	58	26
S 80 HX20	80	58	26
S 120 HX15	115	69	28
S 120 HX20	115	69	28

COMMERCIAL MODELS

MODEL	CAPACITY	HEIGHT	DIAMETER
S 80D HX20/HX20 (Dual Coil)	80	58	26

S120D HX20	115	69	28
S120D HX20/HX20 (Dual Coil)	115	69	28



D Models designed with 1 1/2 " Cold Water Inlet & Hot Water Outlet

T & P Valve (WATTS 40XL included with all dual coil models)

INSULATION: S = 2 inches Urethane Foam

FREIGHT: F.O.B. Salisbury MA.

TERMS: 2% 10, NET 30 days

LIMITED WARRANTY: 7 YEARS RESIDENTIAL MODELS

(OPTIONAL LIFETIME AVAILABLE)

5 YEARS - COMMERCIAL MODELS

[Home Page](#) | [Vaughn Corporation History](#) | [Vaughn News](#) | [Vaughn Products](#) | [Turnkey Program](#) | [Connect With Vaughn](#)

Vaughn Manufacturing Corporation, 26 Old Elm St., PO Box 5431, Salisbury, Massachusetts 01952-5431
Telephone (978) 462-6683 | FAX (978) 462-6497

© Copyright 1997 © Vaughn Manufacturing Corporation | Maintained by  Corp.
[Contact Vaughn](#) | [Contact Webmaster](#)